



3894



3895



3907



3918



3957



3965



3991



3949



4003



4021



4028



4051



4050



4052



4068



EX4085



4072



EX4201



4204



4207



4206



4069



EX4219



4217



4224



4225



4226



4232



EX4233



4235



4237



4238



EX4241



4242



4246



4243



4244



4245

Pos.98
「E」の下横棒の細り



4247



4248



4249



4250



4251



4254




4255



4252



4253



4257



4256



4258



4262



4263



4261



4264



4265



4266



4267



4268



4269



4270



4271



4272



4273

A版
横すかし



銘版やや右寄り

A版
95-96間 3.0mm
銘版切手間 3.0mm

C版
95-96間 2.9mm
銘版切手間 3.2mm

D版
95-96間 2.8mm
銘版切手間 2.5mm

4274

C版
正すかし



Pos.95,96 下部転写不足

4275

D版
正すかし



Pos.95,96 右ガイドライン

4276

A版



銘版左寄りEP

銘版下に縦線

B版
95-96間 2.9mm
銘版切手間 2.7mm

C版
95-96間 3.0mm
銘版切手間 3.2mm

4277

B版



銘版左寄り

銘版の右に横線

4278

C版




Pos.95,96 右ガイドライン

銘版右寄り


4279

新 昭 和




4280

新 昭 和



4281

新 昭 和



4282



4283



4286